

F840

4G FIXED WIRELESS PHONE

Description

Designed for business environments and large enterprises with multi-skilled workers who require additional connectivity to continue working during a call, while maintaining productivity.



Features

GSM 900/1800 MHz, UMTS 900/2100 MHz and LTE 1/3/7/20/38 bands

4.5" high-resolution IPS touch display

Bluetooth 4.1 and Wi-Fi connectivity

O.S. based on Android 8.1

4 memory keys for speed dialing of your frequent numbers

Integrated Handsfree and dual noise cancelling microphone

HD Voice

FOTA software update

Possibility of synchronization with the LDAP server (contacts)

Function keys (on hold, conference call, transfer)

3.5 mm jack plug for earphones

LED indicator for SMS and call notifications

Webcam 2MP

Security slot and locking screw

F840

4G FIXED WIRELESS PHONE

Specifications

Frequencies	GSM 900/1800 MHz UMTS 900/2100 MHz LTE 1/3/7/20/38 bands
Antenna	Built-in
Display	Dimensions: 4.5" Technology: IPS TFT Resolution: 480x854 (color) Touch: Capacitive multi-touch
Platform	Chipset: MediaTek 6737 Processor: QuadCore 1.25GHz Operating System: based on Android 8.1
Battery	Type: Li-ion Capacity: 4000 mAh Conversation time: 15 hours Standby time: 250 hours Charging time: 10 hours
Memory	ROM Memory: 8GB eMMC RAM Memory: 1GB DDR External Memory: Micro SD up to 32 GB
Connectors	DC charging connector 3.5 mm jack for earphones (OMTP) 3.5 mm jack for auxiliary microphone Micro USB 2.0 for data transfer
Connectivity	Wi-Fi: 802.11 b/g/n Bluetooth 4.1
Supported services	Call functions: redial, call on hold, transfer and conference call for up to 6 participants (dedicated keys) SMS/MMS Multimedia: image, audio, video Email: POP/IMAP, Exchange HD Voice Remote software update via FOTA Connection to the LDAP server
Languages	Spanish, English, French, Catalan, Galician, Basque and Portuguese

F840

4G FIXED WIRELESS PHONE

Specifications

Other features	FM Radio Web Browser SIM Toolkit Calendar Chronometer Calculator Alarm Task List Time Zones Multimedia recording
Certifications	GCF, CE and RoHS (among others) SAR value: 1.212 W/kg, within the LTE 3 band ERP: the power consumption of the product connected to the network, in standby mode, is 0.311 W
Dimensions	240x200x90 mm
Peso	900 g
Sales package content	Terminal Charger Battery User manual Warranty Card Cleaning cloth Screws and security key
