

Datasheet

COCOMM DT200



Features

GSM 900/1800 MHz, UMTS 900/2100 MHz and LTE 1/3/7/20/38 bands

VoLTE, VoWiFi and WiFi Calling

2.4" color display

SIM-in system

Conference call and Call forwarding (dedicated keys)

5 memory buttons (M1-M4 and rear button)

LED indicator and vibration

3.5 mm jack connector for earphones and Micro USB 2.0 for charging

Belt clip

Bluetooth 4.2 and SMS messaging

Remote software update via FOTA

HD voice

SIM Toolkit

Security for phone, network and SIM card lock

Specifications

Frequencies	GSM 900/1800 MHz UMTS 900/2100 MHz LTE Bandas 1/3/7/20/38
SIM-in system	
Antenna	Built-in
Display	Dimensions: 2.4" Technology: LCD Resolution: 240x320 (colours)
Processor	Spreadtrum SC9820E
Battery	Type: Li-ion Capacity: 1150 mAh Speaking time : 3 hours Standby time: 140 - 160 hours Charging time: 2 - 3 hours
Memory	RAM Memory: 256MB ROM Memory: 512MB (eMMC) External Memory: Micro SD up to 32GB
Connectors	DC connector on the charging base 3.5 mm jack connector for earphones (CTIA) Micro USB 2.0 for charging and data transfer
Connectivity	Bluetooth 4.2 LE Wi-Fi Hotspot

Supported services	Call features: callback, call forwarding, call on hold, transfer and conference call for up to 6 participants Call services: fixed dialing, call forwarding, call on hold, and restriction of calls SMS
Other functions	SIM Toolkit Calendar Calculator Unit converter Alarm FM Radio
Languages	Spanish, English, French, Catalan, Galician, Basque and Portuguese
Certifications	GCF, CE and RoHS (among others)
Dimensions	163x49x20 mm ; 183x80x80 mm (with base)
Weight	100 g ; 200 g (with base)
Sales package content	Terminal Charger base Charger Battery User manual Warranty card Belt clip
