

CC555

1

4G FIXED WIRELESS PHONE

Description

Dedicated to Small Medium Enterprise or Big Corporations, with WIFI and BT connectivities. Its HD support function also bringing best audio experience.



Features

GSM 850/1900 MHz, UMTS 850/1700/1900 MHz and LTE 2/4/5/7/28/66 bands

3.5" colour LCD screen

Wi-Fi a/b/g/n connectivity and hotspot function to connect up to 8 devices

Bluetooth 4.1

4 memory keys for fast dialing

Integrated Handsfree

HD Voice and VoLTE

Dual noise-cancelling microphone

Software update via FOTA

Security slot

Function keys (on hold, conference call, transfer)

3.5 mm jack plug for earphones



CC555

4G FIXED WIRELESS PHONE

Specifications

Frequencies	GSM 850/1900 MHZ
	UMTS 850/1700/1900 MHz
	LTE 2/4/5/7/28/66 bands
Antenna	1 x Built-in
	1 x External antenna
Display	Dimensions: 3.5"
	Technology: TFT
	Resolution: 480x320 (color)
Platform	Chipset: MediaTek 6739
	Processor: Quad Core 1.5GHz
Battery	Type: Li-ion
	Capacity: 1050 mAh
	Conversation time: 4 hours
	Standby time: 140 hours
	Charging time: 2 - 3 hours
Memory	ROM Memory: 4GB eMMC
	RAM Memory: 512MB
	External Memory: Micro SD up to 32GB
Connectors	DC charging connector
	3.5 mm jack for earphones (OMTP)
	Micro USB 2.0 for data transfer
Security	Anti-theft security slot
	Battery compartment with safety screws
Connectivity	Bluetooth 4.1
	Wi-Fi a/b/g/n
	Hotspot function to connect up to 8 devices
Supported services	Call services: speed dialing, fixed dialing, direct dialing (direct dialing to a single number
	by simply picking up the handset), call forwarding, call on hold, call restriction
	SMS/MMS
	Multimedia: image, audio, video
	HD Voice and VoLTE
Languages	Spanish, English, French, Catalan, Galician and Basque
Other features	FM Radio
	SIM Toolkit
	Calculator
	Alarm



CC555

4G FIXED WIRELESS PHONE

Specifications

Certifications	FCC: The highest SAR value is 1.563W/kg. NOM PTCRB
Dimensions	210x200x63 mm
Weight	800 g
Sales package content	Terminal External antenna Charger Battery User manual Warranty card Screws and security key