

Datasheet

COCOMM DT100



Features

GSM 850/900/1800/1900 MHz, UMTS 900/2100 MHz and LTE 1/3/7/8/20/38 bands

VoLTE

1.8" color display

SIM-in system

Micro USB for charging

SMS messaging

Redial, transfer, call forwarding, call on hold

Bluetooth 2.1

Remote software update via FOTA

Lighted alphanumeric keyboard

Security for phone, network and SIM card lock

Specifications

| | |
|--------------------|---|
| Frequencies | GSM 850/900/1800/1900 MHz UMTS 900/2100 MHz LTE 1/3/7/8/20/38 bands |
| Antenna | Integrated in terminal |
| Display | Dimensions: 1.8" Technology: TFT Resolution: 128x64 (colours) |
| Processor | UNISOC T107/T117 OS: Android Nucleus version |
| Battery | Type: Li-ion Capacity: 800 mAh Speaking time: 2.5 hours Standby time: 48 - 72 hours |
| Memory | ROM memory: 32MB RAM memory: 32MB |
| Connectors | SIM card slot Micro USB for charging and data transfer DC connector on the charging base |
| Connectivity | Bluetooth 2.1 Wi-Fi Hotspot (Optional, only with UNISOC T117) |
| Supported services | Call features: redial, call on hold, transfer, call forwarding, call restriction, mute and voicemail. SMS / Call log Remote software update via FOTA Security for phone, network and SIM card lock |
| Languages | Spanish, English, French, Portuguese, Catalan, Galician and Basque |
| Certifications | CE and RoHS (among others) |
| Dimensions | 145x52x19.5 mm ; 161x80x102 mm (with base) |
| Weight | 90 g ; 180 g (with base) |

Sales package content

Terminal
Charger base
Charger
Battery
User manual
Warranty card
